

O LEVEL PRELIMINARY EXAMINATION 2020

LEVEL & STREAM

: Secondary 4 Express

SUBJECT (CODE)

: Biology (6093)

PAPER NO

: 1

DATE (DAY)

: 16 September 2020 (Wednesday)

DURATION

: 1 hour

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue, and correction fluid.

Write your name, class and index number on the Answer Sheet in the spaces provided.

There are **forty** questions in this section. Answer **all** the questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this paper.


The use of an approved scientific calculator is expected, where appropriate.

		For Examiner's Use	
		Section	Marks
Student's Signature	Parent's Signature		
Date	Date	Total	/40

This document consists of 14 printed pages including this cover page


Setter: Ms Ong Seow Wei/ Ms Ng Shuwen

1 The diagram shows a plant cell.



Which features are not found in animal cells?

- A 1 and 2
- **B** 1 and 3
- C 2 and 4
- D 2 and 5
- 2 How is the xylem structurally adapted for its function?
 - I Lacks protoplasm
 - Il Lacks cross walls between adjacent cells
 - III Contains cell walls strengthen with lignin
 - IV Contains cell walls strengthen with cellulose
 - A IV only
 - B III and IV only
 - C I, II and III only
 - D I, III and IV only
- 3 Which diagram illustrates the process of active transport?




partnerInLearning

- 4 Which statement about glycogen and cellulose is true?
 - A Both are sources of energy in humans.
 - B Both are made up of the monosaccharide, glucose.
 - C Both are important for maintaining shape of cells.
 - D Cellulose is only found in plants whereas glycogen is found in both plants and animals.
- 5 A mixture of food gives the following results on testing:
 - · A violet colour in the Biuret test
 - A blue colour when heated with Benedict's solution
 - · A yellow colour with iodine
 - A white cloudy emulsion with ethanol

What nutrients do the mixture contain?

- A fat and protein
- B starch and fat
- C reducing sugar and starch
- D protein and reducing sugar
- 6 Four equal masses of different foods were burned as shown.



The temperature of the water was measured before and after each food sample was burned. The results are shown in the table. Which food sample is likely to contain the most fat?

	Water temperature at the start / °C	Water temperature at the end / °C
A	16	37
В	17	95
c	18	87
D	19	22

7 Cubes of hard-boiled egg white are placed in test-tubes containing 5 cm³ of water. Other substances are added to each tube as shown in the chart. The tubes were left for eight hours and then tested for amino acids.

tube	solution added	results for amino acids
1	pepsin	absent
2	pepsin + alkali	absent
3	none	absent
4	pepsin + acid	large amounts
5	boiled pepsin + acid	traces
6	acid	traces
7	alkali	absent


D


Which tubes show that pepsin is an enzyme?


- A 1 and 6
- **B** 2 and 7
- C 4 and 5
- **D** 5 and 6


8 A bacterium lives in hot springs at temperatures of 75 °C to 85 °C.

Which graph represents the activity of enzymes found in these bacteria?










9 Enzyme action can be explained by the 'lock and key' hypothesis.

Where is the active site and which acts as the lock or key?


	active site	lock/ key
Α	on the enzyme	substrate acts as the key
В	on the enzyme	substrate acts as the lock
С	on the substrate	enzyme acts as the key
D	on the substrate	enzyme acts as the lock

- 10 What happens to an enzyme after it has catalysed a reaction?
 - A It can no longer fit the substrate molecules.
 - B It can now catalyse several different reactions.
 - C It has become part of the product molecules.
 - **D** It is free to catalyse the same type of reaction again.
- 11 The diagram shows a section of the wall of the small intestine.

Into which structure are most of the lipid components of the diet absorbed for transport to the rest of the body?




12 The diagram represents the liver and the associated blood vessels.



After a meal, how is the blood affected by the liver as it passes between these blood vessels?

	Blood vessels	Effect of liver
Α	2 to 1	Glucose added
В	2 to 1	Urea removed
С	3 to 1	Glucose added
D	3 to 1	Urea removed


13 The diagram shows part of a transverse section of a leaf.



Which structure is correctly matched to its function?

	conduct water	conduct sugars
Δ	P	O
В		Q. D
C	O I	' R
D	R	Q

14 Temperature, light intensity and carbon dioxide concentration are three limiting factors in photosynthesis. In an experiment, each factor is increased in turn. The graph shows the results.



Which numbered points represent when each factor was increased?

	carbon dioxide concentration	light intensity	temperature
Α	1	2	3
В	2	3	1 1
C	3	1	2
D	3	2	1

15 Which is the correct chemical equation for photosynthesis?


A $6CO_2 + 12H_2O \rightarrow 6O_2 + C_6H_{12}O_6$

B $6O_2 + 12H_2O \rightarrow 6CO_2 + C_6H_{12}O_6 + 6H_2O$

C $6CO_2 + 12O_2 \rightarrow 6H_2O + C_6H_{12}O_6 + 6O_2$

D $6O_2 + C_6H_{12}O_6 + 6H_2O \rightarrow 6CO_2 + 12H_2O$

16 The diagram shows the pressure changes to the left side of the heart.




What is the ratio of the timing of atrial systole to atrial diastole?

- A 0.1:0.7
 B 0.2:0.5
 C 0.5:0.4
 D 0.5:1.4
- 17 Hypoplastic left heart failure is a rare heart condition in which the lower left chamber of the heart is not developed properly and is much smaller than normal.

The immediate result of this condition is to cause lower than normal volume of blood flow into which blood vessel?


- A aorta
- B pulmonary artery
- C pulmonary vein
- D vena cava
- 18 The diagram shows part of a tissue. The arrows show movement of fluids.

At which point is the pressure highest?



19 The diagram shows a section through an alveolus and an associated blood capillary.


In which part is the concentration of carbon dioxide highest?



20 During a race, the contraction of leg muscles requires more energy than can be supplied by aerobic respiration.

Which substance will build up in the leg muscles?


- A carbon dioxide
- **B** ethanol
- C lactic acid
- D water
- 21 The diagram shows how a kidney dialysis machine works. Each shape represents a molecule found in blood or dialysis fluid.



Which shape represents urea?


A \bigcirc B \bullet C \square D \triangle

- 22 Why is it important that the lungs remove carbon dioxide from the body?
 - A Carbon dioxide is a greenhouse gas.
 - B Carbon dioxide is a poisonous metabolic waste product.
 - C Carbon dioxide binds with red blood cells irreversibly.
 - D Carbon dioxide is needed by plants for photosynthesis.
- 23 The diagram shows some of the structures seen in a section through human skin.



What is the function of structure X?

- A to cause capillaries to constrict
- B to detect changes in temperature
- c to receive impulses from the central nervous system
- D to stimulate sweat glands to release sweat
- 24 A local anaesthetic is a drug used to block nerve impulses. The diagram represents part of the nervous system. X, Y, and Z show sites where the anaesthetic can be injected.




In an experiment, one person can feel a pin prick his leg but cannot move his leg. Where was the anaesthetic injected in this person?

- A At X
- B At Y
- C At Z
- D At X and at Y

- 25 Which is not an example of a simple reflex action?
 - A blinking when sand blows in your eyes
 - B jumping when hearing a loud noise
 - C removing your hand from a hot object
 - D steering a car to avoid hitting something
- 26 The diagram shows a horizontal section of a human eye.


Which part contains receptor cells sensitive to light?



27 The diagram shows the curvature of the lens in a person's eye.

The shape of the lens changes as the person watches two motorbikes go past at different speeds.

During which period was a motorbike moving towards the person at the higher speed?



28 Which changes occur in the body when a person is shocked?


	increase in	decrease in
A B	diameter of the pupils in the eye the rate of conversion of glycogen to	the speed of food digestion the diameter of the pupils in the
	glucose	eye
C	the rate of urine formation	the rate of conversion of glycogen to glucose
D	the speed of food digestion	the rate of urine formation

29 Insulin is a hormone, synthesised in the pancreas and is distributed around the body by the blood.

What describes its rate of secretion and its concentration in the blood?

	rate of secretion	concentration in blood
Α	constant	constant
В	constant	varied
С	varied	constant
D	varied	varied

30 The photomicrograph shows cells obtained from the root tip of an onion.




Which cell represents a cell during metaphase of mitosis?

A plant P was pollinated. A seed from this plant develops into plant Q. The cells of plant Q contain 14 chromosomes. How many of these chromosomes are identical to chromosomes from plant P?


	if P was self pollinated	if P was cross pollinated
Α	7	7
В	7	14
C	14	7
Ď	14	14

32 The diagram shows a section through a flower.



Which statement is correct?

- A Fertilisation occurs at 1.
- B Haploid gametes are produced at 2 and 3.
- C Pollen is transferred by insects to 3.
- **D** The pollen grain fuses with the female nucleus at 2.
- 33 The diagram shows the male reproductive and urinary systems.




Through which structure do sperms pass to the penis?

34 A person's basal body temperature is the temperature when he first wakes up in the morning.

In women, an increase in blood progesterone concentration causes a small rise in basal body temperature.

The graph shows one woman's basal body temperature over a period of 28 days.




Which day did ovulation occur?

- A day 1
- B day 5
- C day 14
- **D** day 27

35 When a breed of cattle with red coats is crossed with the same breed with white coats, the offspring all have coats with a mixture of red and white hairs, a condition called roan.

If roan cows were crossed with a red-coated bull, the theoretical ratio of the offspring would be


- A all red.
- B all roan.
- C 1 red: 1 roan.
- **D** 3 red: 1 roan.
- 36 The diagram shows a pair of homologous chromosomes.



A gene is found at the point labelled P.

In an individual with a heterozygous trait, what will be found at the equivalent position labelled Q?

- A a different allele of a different gene
- B a different allele of the same gene
- C a different gene of the same allele
- D the same gene of the same allele
- 37 The diagram shows two distinct forms of beetle. The difference between them is controlled by a single gene. The allele for the black form is dominant to the allele for red.



What kind of variation is shown by the beetle and why?

- A Continuous variation because there are two forms.
- B Continuous variation because it is controlled by genes.
- C Discontinuous variation because it is controlled by genes.
- D Discontinuous variation because the two forms are distinct.

- 38 Six processes in genetic engineering are listed.
 - 1 The bacterium is cloned.
 - 2 The gene is copied.
 - 3 The gene is switched on.
 - 4 The gene is transferred into a bacterium.
 - 5 The human gene is isolated.
 - 6 The protein, insulin, is synthesised.

Which four processes, in the correct order, show the production of human insulin by bacteria?

- A $2 \rightarrow 3 \rightarrow 5 \rightarrow 6$
- $B \qquad 3 \rightarrow 1 \rightarrow 4 \rightarrow 6$
- C $5 \rightarrow 3 \rightarrow 2 \rightarrow 6$
- **D** $5 \rightarrow 4 \rightarrow 1 \rightarrow 6$
- 39 Which statement about natural selection is correct?
 - A Evolution is natural selection.
 - B Evolution results in natural selection.
 - C Natural selection and evolution are independent of each other.
 - D Natural selection results in evolution.
- 40 Which statement describes an example of artificial selection?
 - A It has been found that some strains of bacteria produce antibiotics.
 - B It is common practice to mate bulls with cows that produce the most milk.
 - It is possible to control caterpillars on food crops by releasing small wasps which lay their eggs in caterpillars and kill them.
 - D Mosquitoes have developed strains that are resistant to insecticides

- END OF PAPER -



O LEVEL PRELIMINARY EXAMINATION 2020

LEVEL & STREAM

: Secondary 4 Express

SUBJECT (CODE)

: Biology (6093)

PAPER NO

: 2

DATE (DAY)

: 15 September 2020 (Tuesday)

DURATION

: 1 hour 45 minutes

READ THESE INSTRUCTIONS FIRST

Write your class, index number and name on the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

Section A

Answer all questions in the spaces provided.

Section B

Answer all the questions.

Write your answers on the spaces provided.

The use of an approved scientific calculator is expected, where appropriate.

You are advised to spend no longer than one hour on Section A and no longer than 45 minutes on Section B.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

		For Examiner's Use	
		Section Mark	
		Α	/50
		В	/30
Student's Signature	Parent's Signature		/0.0
Date	Date	Total	/80

This document consists of 15 printed pages including this cover page

Setter: Ms Ong Seow Wei / Ms Ng Shuwen

Section A

Answer all questions. Write your answers in the spaces provided on the question paper.

1 The grape plant has many flowers clustered together on each flowering head. Fig. 1.1 shows the structure of one mature grape flower.




Fig. 1.1

(a)	(i)	Name two parts, normally found in other flowers, that are missing from this mature flower.	
		1	[2]
	(ii)	Suggest the type of pollination found in the grape plant and give a reason for your choice.	
			[2]

(b) Fig. 1.2 shows a pollen grain of a grape plant with a pollen tube growing from it.




Fig. 1.2

Pollen grains were placed in sucrose solutions of different concentrations for a fixed amount of time. After this time, the pollen grains and tubes were examined using a microscope. The following observations were made for each concentration of sucrose:

- the number of pollen grains that had germinated to produce a pollen tube
- · the length of each pollen tube.

Table 1.3 shows the results of the investigation.

concentration of sucrose/ %	pollen grains germinated/ %	mean pollen tube length/ mm
1	6	0.005
2	13	0.008
4	25	0.015
8	56	0.040
10	31	0.030
20	25	0.018
40	13	0.006

Table 1.3

Evol	ain how the information in the table enabled you to reach this
	lusion.
requi	inate. The germination of pollen grain to form a pollen tube also res the movement of water into the pollen grain from its surroundings jest why placing a pollen grain in a solution with a higher sucrose
	entration than in your answer to (a)(i) may result in a lower percentage
conc	rmination.
conc	
conc	
conc	
conc	

2 (a) Fig. 2.1 shows an X-ray taken through the thorax (chest) of a person.




Fig. 2.1

(i)	Define the term breathing.	
		[1]
(ii)	Identify the structures F and G in Fig. 2.1.	
	F:	
	G:	[2]

(b) Fig. 2.2 shows the mean distance that molecules must travel during gas exchange between air in the lungs and blood in the circulatory system in birds and mammals.

This distance is known as the thickness of the blood-gas barrier.




Fig. 2.2

	3.1 shows the leaves of the same plant during daylight and during the hours of ness
•	in daylight in darkness
	Fig. 3.1(a) Fig. 3.1(b)
	119.0.1(2)
	Name a process that takes place in the plant in Fig. 3.1(a) only during daylight and explain how the structure of the leaves help in this process.
	process:
	explanation:
	explanation.

3

(b)	The folding of the leaves at night, as seen in Fig. 3.1(b), is called a sleep movement.
	Explain the effect of the sleep movement on the loss of water in the plant.

(c) Fig. 3.2 shows the uptake and loss of oxygen by a leaf during a 24-hour period.

[4]

[2]




Fig. 3.2

Explain what is happening in the leaf at the following times:

between 1800 hours and 2000 hours				

after 2200 hours.		

4 (a) Fig. 4.1 shows changes in the thickness of the uterus lining and in the concentration of progesterone in the blood during the menstrual cycle.




Fig. 4.1

cplain how it can be concluded from Fig. 4.1 that the woman became pregom the cycle shown. (The woman has a 28-day menstrual cycle)	ınant
	[

(b) Fig. 4.2 shows a foetus developing in the uterus of a mother. The fluid labelled C contains cells from the foetus.





Fig. 4.2

A long, hollow needle may be used to withdraw some of the fluid into a syringe. The DNA from the cells in this fluid can then be analysed to find the sex of the foetus and to detect mutations.

(i)	Name fluid C and state its function.	
	name of fluid C:	
	function:	· · · · · · · · · · · · · · · · · · ·
		[2]
(ii)	State two substances that are exchanged across structure D.	
	substance 1:	
	substance 2:	[1]

(iii) Fig. 4.3 shows the chromosomes found in the nucleus of one cell of a developing fetus.




The foetus suffers from a condition as shown in Fig. 4.3. Name the condition. Give a reason for your answer.

(c) Draw a genetic diagram to show the possible blood groups of the child if the father is heterozygous for blood group A and the mother has blood group AB.

[2]

Fig. 5.1 shows the percentage of undigested molecules of starch as they pass through the alimentary canal.




,

Fig. 5.1

J: _	
Sta	te and explain what happens to the digestion of starch between ${f K}$ and ${f L}$.
Exp	plain why the curve is not shown extending into region ${f J}$ of the graph.

6 Fig. 6.1 shows a pair of kidneys and some associated structures



(a) Define the term excretion.

[1]

(b) Identify structure A.

[1]

(c) Using the structural features of C and D in Fig. 6.1, identify structure B.

[1]

(d) An athlete consumed only meat and large amounts of water before his training on a hot day. Explain the likely changes in the composition of the person's urine during the day

[2]

Section B

Answer three questions.

Question 9 is in the form of an Either/Or question. Only one part should be answered.

7 Red blood cell reinfusion, often called 'blood doping', is a practice of boosting the number of red blood cells in the bloodstream to enhance an athlete's performance.

In one reinfusion technique, 900 to 1800 cm³ of an athlete's blood is withdrawn over a period of six weeks. The plasma is immediately removed and reinfused and the packed red blood cells are placed in frozen storage. The stored red blood cells are then reinfused in the athlete in the week before the race.

Fig. 7.1 shows the average red blood cell count of a normal person over 16 weeks.




Fig. 7.1

Table 7.2 shows the effect of this reinfusion technique on an athlete's red blood cell count in the weeks following reinfusion.

time / weeks	red blood cell count / x1012 L-1
0	7.0
2	6.7
4	6.5
6	6.1
8	5.7
10	5.5
12	5.3
14	5.2
16	5.0

Table 7.2

(a) Plot the data for the red blood cell count of the athlete on Fig. 7.1.

Calculate the maximum percentage increase in red blood cell count of the athlete after the reinfusion.
State the difference in the red blood cell count between the athlete and a normal person at the start of the experiment.
Explain, how the reinfusion technique helps to improve the athlete's performance.
Explain why the red blood cell count falls steadily in the weeks following the reinfusion.

8	(a)	(i)	Describe and explain how the pupil of the eye responds to an increase in light intensity.
		(ii)	Albino people lack colouring pigment in their bodies, including in the choroid and iris. Suggest why albino people should avoid looking at bright lights.
	(b)	Expla	in, using a named example, what is meant by an endocrine gland.

(a)	Define the term homeostasis.
(b)	Compare and contrast between nervous and endocrine control.
(c)	Using the concept of control by negative feedback to explain what would happen when a person walks out of the house, wearing only shorts and a short-sleeved shirt where the air temperature is 5 °C.

END OF PAPER



O LEVEL PRELIMINARY Examination 2020 Secondary 4 Express


Biology 6093 Paper 1 Mark Scheme

1	2	3	4	5	6	7	8	9	10
В	С	Α	В	Α	В	С	D	Α	D
11	12	13	14	15	16	17	18	19	20
Α	Α	С	Α	В	В	Α	A	D	С
21	22	23	24	25	26	27	28	29	30
D	В	В	В	D	В	A	Α	D	В
31	32	33	34	35	36	37	38	39	40
С	В	С	С	С	В	D	D	D	В



Answer Scheme 4E Preliminary Exam Biology 2020 Setter: Ong Seow Wei

ñ	Section A	3		
~	(a)	8	sepals / calyx; OR petals / corolla; OR	
			тах	2
	(e)	=	O - ~ .	~ ~ ~ ~
			Reject: no large/big petals, illament <u>nanging out</u> of the flower/ stamen is long.	2
	<u> </u>	ε	8% sucrose concentration; greatest % (56%) pollen grains germinated and mean pollen tube length is the longest (40mm); max	2
		€	water potential of sucrose solution is lower than water potential of cell sap of pollen tube cell; water molecules move out of the cell sap of pollen tube cell by osmosis; pollen tube cell shrinks instead of growing longer/larger/germinating; as concentration of sucrose solution increases, water potential decreases causing decrease in percentage germination/ decrease in water affects germination;	
			Accept: water potential gradient will get less steep after 8%, resulting in lesser water molecules moving into pollen grain;	




<u>ິ</u> ຕ	(a) pro- exp	process: photosynthesis; explanation:			
		structure	adaptation	function	
			large/broad flat surface	increases surface area to obtain maximum amount of sunlight	
		leal blade/ lamina	thin	carbon dioxide molecules can diffuse and reach inner cells rapidly	
		network of veins	consists of the vascular bundle (xylem and phloem vessels)	 transport water and mineral salts from roots to photosynthesising cells transport manufactured food away from photosynthesising cells to other parts of plant 	
		cuticle	transparent	o allows light to enter leaf	
		presence of chlorophyll/ chloroplasts	many layers present (in spongy and palisade mesophyll cells)	 chlorophyll in chloroplasts traps light and converts light energy to chemical energy 	
		intercellular air spaces	large and numerous in spongy mesophyll layer	 allows for rapid diffusion of carbon dioxide and oxygen into and out of mesophyll cells 	
	any	any 1 correct structure + adaptation + function;	tation + function;		max
	(b) efference (c) explanation (c) explanation (c) explanation (c) explanation (c) explanation (c) effect (c) e	effect: reduces transpiration/ reduce loss of water; explanation: presence of a larger number of storne sleep movements reduces the exposure/ total surf. the stomata; reducing the concentration gradient of water vaporesulting in lower transpiration rate	effect: reduces transpiration/ reduce loss of water; explanation: presence of a larger number of stornata on the lower surface of the leaves; sleep movements reduces the exposure/ total surface area exposed to wind/ air movement stomata; reducing the concentration gradient of water vapour between the inside of the leaves resulting in lower transpiration rate	effect: reduces transpiration/ reduce loss of water; explanation: presence of a larger number of stomata on the lower surface of the leaves; sleep movements reduces the exposure/ total surface area exposed to wind/ air movement in the atmosphere surrounding the stomata; reducing the concentration gradient of water vapour between the inside of the leaves and the surrounding atmosphere; resulting in lower transpiration rate	D ::
<u> </u>	(c)	reduced light levels causes closure of stomata; photosynthetic rate reduces hence less oxygen	es closure of stomata; ses hence less oxygen is produced and released;		max
		Accept: Rate of photosyn Rate of photosynthesis d	Accept: Rate of photosynthesis decreases, resulting in a decrease in Rate of photosynthesis decrease as the light intensity decreases; AR	oxygen production; AR	max
	Ę	Reject: Photosynthesis st	Reject: Photosynthesis stops/ Uptake of oxygen increases	Se	
_		in darkness, photosynthesis stops;	sis stops;		

4

			ni <u>eme</u>	n Some	E n n	max minotic fluid; arminotic fluid; supports and cushions the foetus; OR supports and cushions the foetus; OR supports and cushions the foetus against physical injury; OR supports and cushions the foetus against physical injury; OR supports and reduces friction in vagina or birth canal during childbirth; any one any one any one from mother to foetus: oxygen/ glucose/ amino acids/ protective antibodies; from mother to foetus: oxygen/ glucose/ amino acids/ protective antibodies; Reject: metabolic waste/oxygenated blood/ deoxygenated blood/ deoxygenated food max from mother to foetus has a chromosomal mutation in his karyotype where there is an additional copy of chromosome in chromosome 21: foetus has a chromosoma mutation in his karyotype where there is an additional copy of chromosome in chromosome 21: faither mother max faither mother mother mother mother max faither mother mother max faither mother mother
		٦; ss; d food	ר; ss; d food dditional copy of chromosome	r; ss; d food dditional copy of chromosome	1; d food ditional copy of chromosome	r; ss; d food dditional copy of chromosome
foetus; OR s foetus against physical injury; OR ment by allowing movement; OR iion in vagina or birth canal during childbirth;	ohysical injury; OR g movement; OR birth canal during childbirth; ioxide; OR	ohysical injury; OR j movement; OR birth canal during childbirth; ioxide; OR acids/ protective antibodies	ohysical injury; OR grovement; OR birth canal during childbirth; loxide; OR acids/ protective antibodies oxygenated blood/ digested	ohysical injury; OR g movement; OR birth canal during childbirth; loxide; OR acids/ protective antibodies oxygenated blood/ digested otype where there is an add	ohysical injury; OR g movement; OR birth canal during childbirth; loxide; OR acids/ protective antibodies oxygenated blood/ digested otype where there is an add	ohysical injury; OR g movement; OR birth canal during childbirth; loxide; OR acids/ protective antibodies oxygenated blood/ digested otype where there is an add
niotic fluid; supports and cushions the foetus; OR shock absorber ad protects foetus against physical injury; OR promotes muscles development by allowing movement; OR lubricates and reduces friction in vagina or birth canal during or	e foetus; OR ts foetus against p pment by allowing ction in vagina or b issolved carbon di	e foetus; OR ts foetus against p pment by allowing ction in vagina or b issolved carbon di n/ glucose/ amino a penated blood/ deo	e foetus; OR ts foetus against p pment by allowing ction in vagina or b issolved carbon di n/ glucose/ amino n/ glucose/ amino utation in his karyo	e foetus; OR ts foetus against p pment by allowing ction in vagina or b issolved carbon di n/ glucose/ amino a lenated blood/ deo utation in his karyo	e foetus; OR ts foetus against p pment by allowing ction in vagina or b issolved carbon di n/ glucose/ amino allo deo denated blood/ deo utation in his karycutation in his karyc	e foetus; OR ts foetus against p pment by allowing ction in vagina or b issolved carbon di n/ glucose/ amino allotation in his karycutation in his karycutation in his karycutation in his his harycutation in his his haryc
supports and cushions the shock absorber ad protects promotes muscles develop lubricates and reduces frict	and cushions the asorber ad protect s muscles develous and reduces fright to mother: urea/d	and cushions the asorber ad protect some selection is and reduces fright to mother: urea/d to foetus: oxyger abolic waste/oxyger	and cushions the asorber ad protect s muscles develo is and reduces frito mother: urea/d to foetus: oxyger abolic waste/oxyg drome; a chromosomal m ie 21;	s and cushions the bsorber ad protects muscles develoes and reduces fricts and reduces fricts and reduces fricts of foetus: oxyger abolic waste/oxygachrome; a chromosomal machromosomal	s and cushions the bsorber ad protects muscles develoes and reduces frit to mother: urea/d r to foetus: oxyger abolic waste/oxygerome; a chromosomal me 21;	s and cushions the bsorber ad protect is muscles develo is and reduces frict of mother: urea/d r to foetus: oxyger abolic waste/oxygerome; a chromosomal mage 21; father
shock abpromoteslubricates	 shock ab promotes lubricates any one from foetus t 	any fror fror Rej			ence	are en
	any one from foetus to mother: urea/diss		any one from foetus to mother: urea/dis from mother to foetus: oxygen/ Reject: metabolic waste/oxyge Down's syndrome; foetus has a chromosomal mu chromosome 21;		en e	am are



						1		
phenotypes blood blood blood of offspring A AB AB A	blood blood group group A AB	blood blood group group A AB		blood group A		blood group B	xem	- 4
					ł		total	
(a) H: ileum/jejunum [*R small intestine] J: large intestine/colon		num [*R small intestine] tine/colon	all intestine]		l			
(h) no dinestion of starch occurs as the starch molecular	the digastion of starch occurs as the	of starch occurs as the starch moles	lire as the starch molec	tarch molec		Share / 18 X accepted sessen so	is eforch molecules possess hotwoon 1/21/ undinasted storch remains the same:	_
no amylase is produced in both or salivary amylase from the mouth or		s produced in both organs (stomac ase from the mouth cavity will be c	n both organs (stomac mouth cavity will be c	is (stomac ty will be c	· ÷ =	nd oesophagus; atured in the acidic pH of the str	posted statements and stops working;	
							max	
(c) no more starch molecules are present in the contents of alimentary canal/ all starch molecules have been digested; and the soluble products (glucose) absorbed into the bloodstream;		ch molecules are present in the co	s are present in the co (glucose) absorbed in	t in the co sorbed in	\sqsubseteq	ent in the contents of alimentary canal/ all starc absorbed into the bloodstream;		,
							max	2 7
					i		total	~
(a) Excretion is the process by which metabolic wa organism;	Excretion is the process by which organism;			tabolic wa	(7)	metabolic waste products and toxic materials are removed from the body of an	s removed from the body of an	
(b) ureter;	 				1		max	- -
(c) renal artery as C has thinner walls than D; OR renal artery as C has wider lumen than D; any one	renal artery as C has thinner walls renal artery as C has wider lumen any one	s C has thinner walls than D; OR s C has wider lumen than D;	ner walls than D ; OR er lumen than D ;	an D ; OR n D ;				<u> </u>
							max	-
 increased amounts of urea in urine as excess proteins are deaminated to form urea to be excreted; urine is more concentrated/ decreased volume of urine as more <u>water is reabsorbed</u> in the kidneys due to increased sweating to remove excess heat by evaporation of water in sweat; 		ounts of urea in urine as excess pro concentrated/ decreased volume smove excess heat by evaporation of	ea in urine as excess pro ed/ decreased volume ss heat by evaporation o	excess pro ed volume raporation o	O VI	ins are deaminated to form ure urine as more water is reabs water in sweat;	a to be excreted; orbed in the kidneys due to increas	



odgr ience	
Wor Scie	

THE STATE OF	

4					
					soonlb po
Effect on target organ – 2 [max 2 needed, if in excess]	Liver and muscles convert excess glucose to glycogen for storage; Permeability of cell surface membrane to glucose increases & glucose absorbed faster;	Glycogen stored in liver is converted to glucose; and released into the blood stream;	Less ADH, cells in CD become less permeable to water & less water is reabsorbed by kidney tubules producing diluted urine; More ADH, cells in CD become more permeable to water & more water is reabsorbed by kidney tubules producing concentrated urine;	Stimulates the conversion of glycogen back to glucose; Increases rate and depth of ventilation; Increases rate of heartbeat and causes rise in blood pressure; Increases the diameter of arterioles in the muscles/constricts arterioles in skin allowing more blood to muscles; Pupils dilate;	any other reasonable answers Accept: If students mentioned both insulin and glucagon = 1; and state only that insulin is released when blood glucose level is above norm, while glucagon is released when blood glucose is below norm = 1.
none - 1	concentration	concentration	blood plasma	'flight' or 'fight'	and glucagon = sed when blood
Role of hormone –	Blood glucose regulation	Blood glucose regulation	Regulation of water potential	Prepare body for 'flight' or 'fight' action	wers ned both insulin
Name of hormone – 1	Insulin	Glucagon	Anti-diuretic hormone	Adrenaline	any other reasonable answers Accept: If students mentioned t
<u> </u>					



				[2](0)	10
6 O	(a)	homeostasis is the maintenance of a constant internal environment; OR the process that keeps the body temperature constant and ensures the narrow limits	nce of a constant interna ody temperature constar	at the composition of the body fluids is kept v	_
	-	\dashv		Max	-
	<u>e</u>	similarities:			2
		both require a stimulus	S		
		both bring about a respons	sponse in the organism		
	·	differences:			
		nervous control	endocrine control		
		quick responses slc	slow responses		
		<u>F</u>	responses can be short		
		short-lived or	or long-lived		
		may be voluntary or alv	always involuntary		
		involuntary			
		usually localized/ ma	may affect one or more		2
		involved effectors tar	target organs		
		Transmit along Se	Secrete chemical		
******		neurons ho	hormones into blood		
		str	stream		
		any 1 similarity + all 4 differences	sear		
		_	All the state of t	max	
	<u> </u>		of skin are stimulated as	Only temperature receptors of skin are stimulated as external environment temperature is low and excessive loss of heat	_
		causes blood temperature to decrease below norm;	decrease below norm;	.11.	
		Impulses are sent to the hypothalamus of brain sumulating it. Vasoconstriction of arterioles near skin's surface and dilation	near skin's surface and	mus of prain sumitating it; skip's surface and dilation of shirit vessels allowing less blood flow through capillaries:	
		decreased heat loss through condu		adiation;	•
		Decreased production of sweat so	at so that less latent heat is lost;	is lost;	
		Metabolic rate increases and shive	shivering (reflex contract	ring (reflex contraction of skeletal muscles to increase heat released) occurs to increase	-
		blood temperature;			
		The Administration of the Control of		max	•
					_
					·
					•

total

partnerInLearning
More papers at w29.4estpapersfree.com